

HUNTON & WILLIAMS

1900 K STREET, N.W.

WASHINGTON, D.C. 20006-1109

TELEPHONE (202) 955-1500

FACSIMILE (202) 778-2201

MCLEAN, VIRGINIA
MIAMI, FLORIDA
NEW YORK, NEW YORK
NORFOLK, VIRGINIA
RALEIGH, NORTH CAROLINA
RICHMOND, VIRGINIA
WARSAW, POLAND

MATTHEW PRYOR
E-MAIL: MPRYOR@HUNTON.COM

FILE NO.: 52817.000089
DIRECT DIAL: (202) 955-1828

January 12, 2000

BOX PATENT APPLICATION

Assistant Commissioner for Patents
Washington, D.C. 20231

Re: Filing of U.S. Patent Application
Inventors: Quinton ZONDERVAN
Title: SYSTEM AND METHOD FOR FORMATTING AN
ELECTRONIC MESSAGE

Attorney Docket No.: 52817.000089

Dear Sir:

Attached is a new patent application for filing in the United States Patent and Trademark Office including fifteen (15) pages of specification, claims (numbered 1-20), and Abstract. Also enclosed are three (3) sheets of drawings (labeled Figs. 1-3). A copy of an executed Sole Declaration is submitted herewith. Additionally, an assignment and an assignment recordation cover sheet has been submitted.

The filing fee is calculated as follows:

					Amount
Basic Filing Fee					\$ 690.00
Rate					
	Extra		Large Entity	Small Entity	
Number of Claims in Excess of 20	20 -20	0	\$18	\$9	\$ 0.00
Independent Claims in Excess of 3	4 -3	1	\$78	\$39	\$ 78.00
Assignment Recordation					\$ 40.00
TOTAL FEE DUE					\$808.00

HUNTON & WILLIAMS

Attorney Docket No. 52817.000089

BOX PATENT APPLICATION

Page 2

One check in the amount of \$808.00 is attached to cover the basic application filing fee, and another check is included to cover the assignment recordation fee. In the event of any variance between the amount enclosed and the Patent and Trademark Office charges, please charge or credit any difference to the undersigned's Deposit Account No. 50-0206.

Please direct all communication concerning this application to:

James G. Gatto, Esq.
Hunton & Williams
1900 K Street, N.W.
Suite 1200
Washington, DC 20006

Respectfully submitted,

HUNTON & WILLIAMS

By: 

Matthew Pryor

Registration No. 45,278

1900 K Street, NW, Suite 1200
Washington, D.C. 20006-1109
Telephone: (202) 955-1500
Facsimile: (202) 778-2201

Dated: January 12, 2000

SYSTEM AND METHOD FOR FORMATTING AN ELECTRONIC MESSAGE

Related Applications

This application claims priority based on U.S. Provisional Patent Application Serial No. 60/116,064, entitled "Managing Electronic Mail and Other Communications from a Two-Way Wireless Device," filed January 15, 1999. This application is also
5 related to co-pending U.S. Patent Applications entitled, "System and Method for Selectively Transmitting Electronic Messages," Attorney Docket No. 52817.000088, filed herewith.

Field of the Invention

The invention relates generally to systems for communicating between terminal
10 devices having different formatting appearances and particularly to a system for communicating between terminal devices having different formatting appearances wherein at least one terminal device is a wireless terminal device.

Background of the Invention

More and more users increasingly depend on messaging services and electronic
15 and wireless communications which utilize various and divergent formats as well as different devices, *e.g.*, computer, facsimile, voice mail, electronic mail, mobile or cellular phone, pager, personal digital assistant ("PDA"), etc. Further, a growing number of users utilize multiple such messaging and communication services in what have become known as "mobile offices." Many users have access to numerous services via
20 desktop computers interconnected to one or more wireline networks and also use wireless devices such as pager devices and mobile phones to conduct business. Typically, separate accounts and access profiles are required for each of the various

messaging and communication services making it difficult and time consuming for users to communicate across the different messaging and communication services.

Users utilizing different messaging and communication services, when not physically present at each of the receiving devices, must frequently check the various services to determine if messages or other communications have been received. Often users may not have within their possession a mechanism that enables them to monitor or determine the receipt of a message or communication. For example, when a user is away from a desktop computer which receives e-mail messages from a server and the user does not have remote access to such messages, it may not be possible for the user to check even the existence of such messages without involving a third party to directly check for such messages. If such a third party is not available, then the user is left with few, if any, options short of physically returning to the desktop computer to check for such messages. Even when the user has access to the messages, such as via a laptop computer connected via modem to a network connecting the server to the desktop computer, then the user must check each of the services frequently or run the risk of missing an urgent communication.

Once the user receives notice of the message or communication, the user must then decide how best to act on the message or communication. If, as in the case of the e-mail message, the user does not have the benefit of a laptop or prefers not to be encumbered by such a device when away from the office, then the user must respond by telephone or some other different mechanisms or must involve a third party to prepare a response on behalf of the user. Accordingly, much of the benefit of having multiple forms of messaging and communicating is lost or rendered ineffective.

These and other drawbacks exist with existing systems.

Summary of the Invention

One object of the invention is to provide integrated messaging across multiple
5 different devices, e.g., desktop computer, pager, mobile or cell phone, PDA, etc.

Another object of the invention is to provide an integrating messaging platform
whereby the device address is hidden so that it need not be revealed directly.

Another object of the invention is to provide a system that enables summarizing
of e-mail messages so as to save air-time and cost.

10 According to these and other objects the present invention provides a seamless
distribution of messages to and from recipients and senders utilizing different
communication devices. In one embodiment, a sender sends an e-mail message to a
recipient via a standard e-mail system, a server embodying various features of the
present invention acts based on instructions received from the intended recipient and
15 translates the e-mail message, or composes a message therefrom, in accordance with
further instructions (such as generating a summary of the e-mail message) and forwards
the translated message to the recipients' two-way pager device where the message is
ultimately received. The recipient may then, utilizing the two-way wireless terminal
device, respond to the message by forwarding a reply message to the sender, forwarding
20 the original message to one or more third parties, delete the message, store the message,
or take some other action.

Should the recipient elect to forward a reply message to the sender directly from
the two-way terminal device, a server of the present invention receives the reply and

modifies that reply. For example, the system may add a header, a footer, and page
formatting in accordance with a template residing on the server. The original sender,
now the reply recipient, receives the reply message. This reply message now has the
appearance of having come directly from a typical e-mail transmitting device, such as a
5 computer terminal, rather than having come from a wireless terminal device, such as a
pager.

The present invention provides users with small communication enabled devices,
such as two-way pagers and the like, the ability to send and receive e-mail without
having to maintain a separate e-mail account and inbox specific to that device.

10 In one embodiment of the present invention, a two-way pager device is provided
that is capable of reading/writing and replying to e-mail received in a desktop mail
application. Further, by creating and storing a profile for the user, the user may
predetermine which types of messages are to be sent to or summarized for the pager
device automatically as they are received by the e-mail system. Replies and originating
15 e-mail messages sent from the pager device are routed through the e-mail application to
thereby appear like any other e-mail message. Recipients, therefore, cannot detect that
the message was composed on or sent from a pager device. This gives the appearance
that the replying or sending party is sending the message directly from the desktop
computer. The e-mail server may comprise a web server that provides direct mail
20 capabilities or any other electronic mail server.

In addition, many users receive updated information from on-line services, often
in the form of e-mail messages. By employing the method and system of the present
invention, a user may receive such updated information in a most timely fashion whether

such individual is physically operating a desktop computer or at some remote location via the pager device.

An additional aspect of the present invention is the ability to use or provide activity monitoring to determine the current status of the user. For example, the system monitors usage of the user's desktop computer to determine if the user is presently situated at the desktop computer. If the system determines that the user is situated at the desktop, then some form of notification may be given to the user that an incoming e-mail has been received. If the system determines that the user is not situated at the desktop, then it may send the e-mail message, either complete or in some summary form, to the user's wireless terminal device. The user may be provided with the option of selecting the particular mode of operation, *e.g.*, in office, out of office, etc. By selecting a particular mode of operation, the system forwards messages in accordance with the user's instructions based upon, for instance, a profile established by the user.

According to one embodiment of the invention, the integrated messaging system provides a server including an e-mail server, an e-mail database, and a scripting agent. The server operates in a computer network system including a sending client, a receiving client, a pager server, and a pager device. In one mode of operation, the sending client sends a message, such as an e-mail message, to the server, the e-mail server receives the message and places it in the e-mail database. The scripting agent accesses the message stored in the e-mail database and processes the message based on predetermined instructions. Such instructions may be based on a user profile or a receiving client profile. Based on the instructions, the scripting agent then forwards the processed message on to the pager server for forwarding to the user via the pager device. The

scripting agent receives a reply to the received message from the pager device and formats the reply message to match the format of the received message. The server forwards the reply message to the sending client.

The sending client and/or the receiving client may be a desktop computer and may be connected via a network, such as the World Wide Web, the Internet, an intranet, or any other such network. In processing the received message, the scripting agent may compose a summary of the complete e-mail message before forwarding the summarized message to the pager server. The server also may forward a reply message to clients other than the sending client.

According to another embodiment of the invention, the integrated messaging system provides a client having a web browser with direct mail capability and being connected to a web server and to a pager server. The web browser including a scripting agent for processing e-mail messages received by the client via the web browser based on instructions, such as a user profile.

The client may be a desktop computer and may be connected to recipients via a network, such as the World Wide Web, the Internet, an intranet, or any other such network. In processing the received message, the scripting agent may compose a summary of the complete e-mail message before forwarding the summarized message to the pager server. The server also may include means for forwarding a reply message to multiple recipients.

Other objects, features and advantages of the present invention will be apparent from reviewing the detailed description and drawings of the present invention set forth herein.

Brief Description of the Drawings

Figure 1 is a block diagram illustrating an integrated messaging system in accordance with an embodiment of the present invention.

5 Figure 2 is a diagram of a user profile, in one form, associated with the present invention.

Figure 3 is a block diagram illustrating an integrated messaging system in accordance with another embodiment of the present invention.

Detailed Description of the Preferred Embodiments

10 As schematically illustrated in the block diagram of Fig. 1, a first embodiment of the invention, integrated messaging system 10 provides server 12 interconnected with client 14, electronic mail terminal 16, and pager server 18. Server 12 includes e-mail server 20 and scripting agent 22, which share database 24. Client 14 and e-mail terminal 16 may be computer systems operated by users. One or more clients 14 and/or e-mail terminals 16 may be connected via a network, such as the World Wide Web, the Internet, 15 an intranet, or any other such network. Server 12 is connected to pager server 18, whereby electronic messages processed by scripting agent 22 are forwarded to one or more users via one or more pagers devices 26. The electronic messages are preferably text-based files, but it is understood that any multimedia file may be used with the present invention. For example, a user could respond to an email message with a WAV 20 file format electronic message.

Pager device 26 is a two-way communication device capable of both receiving and sending information to and from pager server 18 and ultimately scripting agent 22.

Although the description herein relates to a paging system, the present invention also may be utilized in a system involving a cellular phone server and a cellular phone or other such mobile based communication system.

Scripting agent 22, as discussed in more detail below, is adapted to process and
5 format message information received from pager device 26 so that when the message
information is forwarded to one or more recipients, such as e-mail terminal 16, the
recipients are unable to detect that the message was generated from a pager device rather
than from a desktop computer, such as client 14, or other terminal. In this manner,
integrated messaging system 10 provides a seamless distribution of messages and other
10 communications, such as typical e-mail applications, across different messaging and
communication systems and devices.

In one embodiment, a user profile is integrated into the formatting process.
Specifically, a scripting agent 22 formats a message both in accordance with the
formatting requirements of the receiving terminal and in accordance with the user
15 profile. For example, a user profile may indicate a heading and signature block to
automatically attach to all messages which originate from a pager device 26.

In one mode of operation, a sending party or client via e-mail terminal 16 sends a
message, such as an e-mail message generated by using a desktop mail application like
Lotus Notes™, to server 12, e-mail server 20 receives the message and it is placed in e-
20 mail database 24. Scripting agent 22 accesses the message stored in the e-mail database
and processes the message based on predetermined instructions, such instructions may
be at least in part based on a profile of the user/receiving client as described below with
respect to Fig. 2. Based on the instructions, scripting agent 22 forwards the processed

message on to pager server 18 for forwarding to one or more users via one or more pager devices 26. Agent 22 includes a module that receives a reply to the received message from pager device 18 and a module that formats the reply message to match the format of the received message. Server 12 includes a module that forwards the reply message to the originator of the initial message, the sending client via e-mail terminal 16. The sending client thereby becomes the reply message recipient. Scripting agent 22 may comprise a LotusScript™ agent, although other suitable variations include executable code written in Java, C++, or any other programming or scripting language.

In addition, a user may utilize pager device 26 to initiate a message, such as an e-mail message, directly from the pager device to a recipient, such as via e-mail terminal 16. Many pager devices now include a full alpha-numeric keypad and many cellular or mobile phones likewise include keypads capable of inputting complete alpha-numeric character sets. Such capabilities enhance the effectiveness of a pager device in this application. Based upon a profile residing in, or at least accessible by, scripting agent 22, or based upon information input directly by the user via the pager device, scripting agent 22 processes the message received from the user via the pager device before sending such message on to the one or more intended recipients.

For example, to present the recipient with the appearance of the message having originated from a desktop computer utilizing a standard e-mail application, the scripting agent processes the informational message received from the pager device and formats the message in accordance with an e-mail application, such as Lotus Notes™. For instance, the message may be presented having separate fields for sender, copy line, recipient, brief description of subject matter of the message, date and time, body of the

text of the message, etc. Also, rather than the user having to separately access the e-mail application by providing account, password, etc., the scripting agent effectively accomplishes such tasks by taking the message directly from the pager device and forwarding the message on to a recipient via the e-mail server, for example. Much of the
5 necessary information may be provided in the user profile or the user may define recipient profiles for a plurality of persons the user typically exchanges communications with. Also, a company may provide a bank of such individual profiles for employees, contractors, customers, clients, etc., that may be accessed by multiple users for use with the integrated messaging system described herein.

10 In processing a received message, whether it be a message originating from e-mail terminal 16 or pager device 26 or a reply message from pager device 26, scripting agent 22 may compose a summary of the complete e-mail message before forwarding the summarized message to pager server 18 or to e-mail server 20. The decision as to whether to forward a complete message or a summarized version of the complete
15 message may be in whole or in part based upon a profile available to the agent. There are known methods and programs for summarizing messages, some of which prioritize words based on predefined terms, based on the number of times the words appear in the message, based on user defined rules, etc. The present invention may utilize such known summarizing methods as well as methods that will be available in the future. The
20 scripting agent may also comprise a module that processes requests to expand summaries of messages, including summarized messages composed by the user on the pager device. The scripting agent, based on instructions from the user, may forward a reply message to

recipients other than the original sending client and may provide the user with information concerning delivery, receipt and opening of messages by recipients.

The integrated messaging system of the present invention may permit users to: define the types of messages to be forwarded by the agent to the pager server; create an
5 exclusive list of clients or persons from whom they wish to receive messages via the pager server or otherwise exclude forwarding of messages from certain individuals; access a portion, such as identifying fields, or all of a message from the pager device rather than having such messages automatically forwarded by the agent; define a threshold message size, *e.g.*, by the number of characters, beyond which a message while
10 be summarized and/or truncated; create a list of individuals from whom complete messages are to be received, *i.e.*, no summarizing and/or truncating of messages sent by specified individuals; and retrieve complete messages that have been truncated or summarized by the agent.

An additional function that may be included in integrated messaging system 10 is
15 the ability to provide activity monitoring to determine the current status of a user. For example, the system may monitor usage of the user's desktop computer to determine if the user is presently situated at the desktop computer or may utilize a physical monitoring device to determine the presence of the user or input to a monitoring function. If the system determines that the user is situated at the desktop, then some
20 form of notification may be given to the user that an incoming e-mail has been received at the desktop. The system may determine that a user is at the desktop by monitoring the desktop computer and determining whether the user takes an action or not. Other methods for determining whether the user is at his desktop may also be used.

If the system determines that the user is not situated at the desktop, then it may send the e-mail message, either complete or in some summary form, to the user's pager device 26. It is additionally contemplated that if an electronic message is delivered to the desktop and the electronic message remains unread for a predetermined period of time, the scripting agent can transmit the electronic message to the pager in accordance with the user profile. The user may be provided with the option of selecting the particular mode of operation, e.g., in office, out of office, etc. By selecting a particular mode of operation, the system will forward messages in accordance with the user's instructions based upon, for instance, a user profile.

In a patent application previously filed and pending with the U.S. Patent Office, entitled *Web Server With Direct Mail Capability* and having been assigned serial number 09/100,130, which is incorporated herein by reference, a method and system is disclosed which enables a web server to provide direct mail capabilities from a web browser. Also, the invention enables a web server to provide direct mail capabilities from a web browser without having to open another mail application or viewer window. In particular, the application discloses a system comprising a novel web server for a client/server network, where the client side is equipped with a standard browser. The server comprises standard web server functionality (e.g., HTTP server), an HTML translator, a server side software (e.g., Lotus Notes™ server software) and a database (e.g., a Lotus Notes™ database). Significantly, the database does not need HTML files. Preferably, the server receives a URL-based request from a browser via HTTP, the HTTP server and HTML translator determine the object (e.g., documents or databases) specified by the URL, retrieves that object, translates that object to HTML format and

sends the HTML downloaded object to the client side browser for display. Also, the application discloses the server comprising an integrated mail application which provides a web browser with direct mail capabilities. The system enables the server to provide electronic mail capabilities directly within a browser window without having to
5 open another mail application or display window.

According to another embodiment of the invention, as shown in Figure 3, integrated messaging system 110 provides a client, 114, having web browser 130 with direct mail capability resident therein and being connected to web server 132 and to pager server 118. Web browser 130 includes agent 122 for processing e-mail messages,
10 such as received by client 114 via web server 132, based on instructions, such as a user profile. A scripting agent 122 may be provided for implementing the functions as described above for scripting agent 22.

As described above, pager server 118 communicates messages between pager device 126 and scripting agent 122. Pager device 126 messages and generates reply
15 messages and/or originating messages. Scripting agent 122 receives reply or originating messages from the pager device and formats the reply and originating messages to match one or more e-mail message formats. The agent may fashion the message to appear as originating from different e-mail applications when the message is being forwarded to multiple recipients operation on different e-mail applications. Such information may be
20 resident in recipient profiles, received directly from the user, or recognized by the scripting agent in receiving an originating message from the e-mail server, as in Fig. 1, or from web browser 130. Web browser 130 may forward reply and originating messages to recipients at e-mail terminals 116 via web server 132 over network 134.

In the integrated mail application associated with web browser 130, a user may read, create, edit, etc., electronic mail messages received via web server 132. The messaging function is performed directly through web browser 130. A separate window or application does not need to be opened at client 114.

5 In one form, server 132 supports major industry messaging protocols and Application Programmer's Interfaces (APIs). It provides a backbone messaging platform with robust message transfer agents (MTAs) including SMTP, X.400, cc:Mail, and Notes Mail. Messaging services support e-mail clients using industry standards, including Post Office Protocol v3 (POP3) and Internet Mail Access Protocol v4
10 (IMAP4). Also, the server supports other broadly deployed protocols, including Vendor Independent Mail (VIM), and Messaging API (MAPI).

Besides the e-mail application described herein, the present invention also could be utilized to access group calendaring and scheduling applications via agent 22/122. In the event a user has a particular event on a calendar application with an alarm that
15 engages at a predetermined time, then the integrated messaging system of the present invention operates to forward messaging relating to the alarm via agent 22/122 and pager server 18/118. Likewise, should a user desire to access the calendaring program, the integrated messaging system may perform this function essentially as described above. Scripting agent 22/122 may then be provided with a module that accesses such a
20 calendaring application and composes a message for forwarding to the pager device.

The embodiments disclosed herein are by way of example only and the present invention is not limited thereto. Other embodiments and uses of the invention will be apparent to those skilled in the art from consideration of the specification and practice of the

invention disclosed herein. The specification and examples should be considered exemplary only.

CLAIMS

What is claimed is:

1. An integrated messaging system comprising:

a first terminal device that transmits and receives an electronic message in a first

5 message presentation format;

a wireless terminal device that transmits and receives electronic messages in a
second message presentation format, the wireless terminal device operatively connected
to the terminal device; and

a server system that receives electronic messages sent from one of the terminal
10 devices and modifies the electronic message to appear as though sent by the other
terminal device type and transmitting the electronic message directly to a receiving
terminal device.

2. The integrated messaging system of claim 1 wherein the wireless terminal device
15 is a pager.

3. The integrated messaging system of claim 1 wherein a scripting agent modifies
the electronic message transmitted to the wireless terminal device by performing a
summary function on the electronic message.

20 4. The integrated messaging system of claim 1 further comprising at least one user
profile and a scripting agent, wherein the scripting agent formats electronic messages to
and from the terminal device in accordance with the user profile and the scripting agent

formats electronic messages to and from the wireless terminal device in accordance with the user profile.

5 5. The integrated messaging system of claim 1 further comprising a scripting agent and a user profile, wherein the scripting agent modifies the electronic message transmitted by the wireless terminal device by adding at least one of a signature block, a header, and a footer.

6. 6. The integrated messaging system of claim 5, wherein the scripting agent formats an electronic message from the wireless terminal device to the terminal device in accordance with the formatting requirements of the terminal device.

7. 7. The integrated messaging system of claim 6 wherein electronic messages sent by the wireless terminal device and received by a terminal device have the same formatting as electronic messages sent by the terminal device and received by the terminal device.

8. 8. The integrated messaging system of claim 7 wherein the scripting agent performs a summary function on the electronic message prior to transmitting the electronic message to the wireless terminal device.

9. 9. A method for managing communications of an electronic message between at least two terminal devices comprising a first and second terminal device, wherein the first terminal device has a first message presentation format and the second terminal

device is a wireless terminal device having a second message presentation format, the communication management method comprising the steps of:

receiving the electronic message from a sending terminal device in a sending terminal device message presentation format;

5 modifying the sending terminal device message presentation format to a receiving terminal device message presentation format; and

transmitting the electronic message to the receiving terminal device.

10. The communication management method of claim 9 wherein the sending
10 terminal device is the first terminal device and the receiving terminal device is the wireless terminal device.

11. The communication management method of claim 9 wherein the sending terminal
15 device is the wireless terminal device and the receiving terminal device is the first terminal device.

12. The communication management method of claim 9 wherein the modifying step comprises:

accessing a user profile;

20 determining an intended format based on the user profile and the receiving terminal device format; and

modifying the sending terminal device format according to the intended format and the receiving terminal device format.

13. The communication management method of claim 9 further comprising the step of transmitting a copy of the electronic message sent to the wireless terminal device to the first terminal device.

5

14. A computer usable medium having computer readable program code embodied therein for managing communications of an electronic message between at least two terminal devices comprising a first terminal device and a second terminal device, wherein the first terminal device has a first message presentation format and the second terminal device is a wireless terminal device having a second message presentation format, the computer readable code comprising:

computer code for causing a computer system to receive the electronic message from a sending terminal device in a sending terminal device format;

computer code for causing a computer system to modify the sending terminal device format to a receiving terminal device format; and

computer code for causing a computer system to transmit the electronic message to the receiving terminal device.

15. An integrated messaging system comprising:

first terminal device means for transmitting and receiving electronic messages in a first message presentation format;

wireless terminal device means for transmitting and receiving electronic messages in a second message presentation format, the wireless terminal device means operatively connected to the terminal device means; and

scripting agent means for modifying the electronic messages sent in a sending terminal device means format to appear as though the electronic message was sent by a receiving terminal device means and forwarding the electronic message directly to the receiving terminal device means.

16. The integrated messaging system of claim 15 further comprising transmitting means for transmitting electronic messages to associated terminal device means when the electronic message is sent to the wireless terminal device means.

17. The integrated messaging system of claim 15 wherein the scripting agent means modifies the electronic message sent from the first terminal device means to the wireless terminal device means by summarizing the electronic message.

18. The integrated messaging system of claim 15 wherein the scripting agent means modifies the electronic message in accordance with a user profile.

19. The integrated messaging system of claim 15 wherein the scripting agent means modifies the first message presentation format of the electronic message destined to the wireless terminal device by summarizing the electronic message.

20. The integrated messaging system of claim 15 wherein the scripting agent formats the electronic message sent from the wireless terminal device means to the first terminal device means by adding at least one of a header, footer, and signature block.

Abstract of the Disclosure

A client/server based system provides an integrated messages system for a user having access to accounts on a number of different terminal communication devices, including at least one wireless terminal device. In a preferred embodiment, the system includes an agent that formats messages according to the formatting requirements of a receiving terminal device. The agent is connected to a wireless communications server and is adapted to receive and distribute messages, such as e-mail, from and to a multiplicity of senders and recipients, such as terminal devices interconnected over a network. Messages received from a terminal device and intended for a user may be forwarded to the user by the agent via a wireless communications server and wireless terminal device. The system enables the user to receive the incoming message and to reply to such a message or to generate an original message. Upon receiving a reply or original message, the agent, based upon certain information received from the user or upon a profile, processes the reply or original message received from the wireless communications server and forwards such message to one or more recipients in the form of a standard communications application whereby the recipient is presented with a message that appears to have come from a typical terminal device rather than from a wireless device.




Fig. 1

Device profile

Device type:
Pager

Device e-mail address:
1234567@skytel.com

Size limit for messages sent to device:
9000 characters

Device enabled:
☒ enable this device

Fig. 2




Fig. 3

SOLE DECLARATION FOR PATENT APPLICATION

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe that I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled **SYSTEM AND METHOD FOR FORMATTING AN ELECTRONIC MESSAGE** the specification of which

(X) is attached hereto.

() was filed on _____
as Application Serial Number _____ and was
amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

Prior Foreign Application(s)

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Country	Application Number	Date of Filing (day, month, year)	Date of Issue (day, month, year)	Priority Claimed Under 35 U.S.C. 119
				Yes <input type="checkbox"/> No <input type="checkbox"/>
				Yes <input type="checkbox"/> No <input type="checkbox"/>
				Yes <input type="checkbox"/> No <input type="checkbox"/>
				Yes <input type="checkbox"/> No <input type="checkbox"/>

Prior United States Application(s)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below, and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial Number	Date of Filing (day, month, year)	Status - Patented, Pending, Abandoned
60/116,064	15/January/1999	Pending

And I hereby appoint, both jointly and severally, as my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith the following attorneys, their registration numbers being listed after their names:

Thomas J. Scott, Jr., Registration No. 27,836; Stanislaus Aksman, Registration No. 28,562; Kevin J. Dunleavy, Registration No. 32,024; James G. Gatto, Registration No. 32,694; Scott D. Balderston, Registration No. 35,436; Tyler S. Brown, Registration No. 36,465; Christopher C. Campbell, Registration No. 37,291; Henry C. Su, Registration No. 37,738; Brian M. Buroker, Registration No. 39,125; Thomas G. Woolston, Registration No. 40,235; Charles F. Hollis, Registration No. 40,650; Kevin T. Duncan, Registration No. 41,495; Jonathan D. Link, Registration No. 41,548; Christopher J. Cuneo, Registration No. 42,450; Stephen T. Schreiner, Registration No. 43,097; Raphael A. Valencia, Registration No. 43,216; and George B. Georgellis, Registration No. P43,632 and Matthew G. Pryor, Registration No. P45,278.

All correspondence and telephone communications should be addressed to Hunton & Williams, 1900 K Street, N.W., Washington, D.C. 20006-1109, telephone number (202) 955-1500, which is also the address and telephone number of each of the above listed attorneys.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature Quinton Zondervan Date 9/27/99

Full Name of
Sole Inventor **ZONDERVAN** **Quinton** **Yves**
Family Name First Given Name Second Given Name
Residence 9 Hawthorne Place, 7H, Boston, MA 02114
Citizenship **U.S.A.**
Post Office
Address **Same as above.**

HUNTON & WILLIAMS
1900 K Street, NW, Suite 1200
Washington, D.C. 20006-1109
Tel: (202) 955-1500